

	Type	Hits	Search Text	DBs
1	BRS	101	623/2.12	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
2	BRS	88	623/1.26	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
3	BRS	79	623/1.27	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
4	BRS	363	623/2.12 or 623/1.26 or 623/1.27 or 623/2.1	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
5	BRS	165527	heart	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
6	BRS	395398 6	metal	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
7	BRS	588964	ceramic	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
8	BRS	451236	bend	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
9	BRS	170955	flex	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR

	Type	Hits	Search Text	DBs
10	BRS	3847	polyetheretherketone	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
11	BRS	10609	peek	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
12	BRS	26227	polyacetal	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
13	BRS	262387	polyamide	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
14	BRS	342474	polypropylene	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
15	BRS	301851	polyurethane	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
16	BRS	67835	polytetrafluoroethylene	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
17	BRS	54333	ptfe	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
18	BRS	4851	polyester near terephthalate	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR

	Type	Hits	Search Text	DBs
19	BRS	124964	pet	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
20	BRS	175812	polycarbonate	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
21	BRS	35672	polysulfone	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
22	BRS	103	(623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and polytetrafluoroethylene	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
23	BRS	103	(623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and polytetrafluoroethylene	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
24	BRS	87	(623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and ptfе	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
25	BRS	1	(623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and (polyester near terephthalate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
26	BRS	15	(623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and pet	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
27	BRS	28	(623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and polycarbonate	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR

	Type	Hits	Search Text	DBs
28	BRS	21	(623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and polysulfone	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
29	BRS	21	ceramic and ((623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and polyurethane)	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
30	BRS	3121	diamond near carbon	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
31	BRS	1	(diamond near carbon) and (623/2.12 or 623/1.26 or 623/1.27 or 623/2.1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
32	BRS	739892	elastic	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
33	BRS	451236	bend	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
34	BRS	126368	fatigue	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
35	BRS	101	623/2.12	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
36	BRS	103	623/2.13	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR

	Type	Hits	Search Text	DBs
37	BRS	82	623/2.14	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
38	BRS	67	623/2.15	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
39	BRS	43	623/2.16	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
40	BRS	96	623/2.17	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
41	BRS	86	623/2.18	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
42	BRS	71	623/2.19	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
43	BRS	376	623/2.12 or 623/2.13 or 623/2.14 or 623/2.15 or 623/2.16 or 623/2.17 or 623/2.18 or 623/2.19	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
44	BRS	59	(623/2.12 or 623/2.13 or 623/2.14 or 623/2.15 or 623/2.16 or 623/2.17 or 623/2.18 or 623/2.19) and elasticity	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
45	BRS	65	(623/2.12 or 623/2.13 or 623/2.14 or 623/2.15 or 623/2.16 or 623/2.17 or 623/2.18 or 623/2.19) and bend	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR

	Type	Hits	Search Text	DBs
46	BRS	0	623/2.42 and fatigure	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
47	BRS	120406 7	cycle	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
48	BRS	14552	bend near angle	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
49	BRS	8453	heart near valve	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
50	BRS	172	623/2.1	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
51	BRS	1	"6086612".PN.	USPAT
52	BRS	1	"5653749".PN.	USPAT
53	BRS	1	"5500016".PN.	USPAT
54	BRS	1	"4888009".PN.	USPAT
55	BRS	1	"4731074".PN.	USPAT
56	BRS	1	"4364127".PN.	USPAT
57	BRS	1	"4731074".PN.	USPAT
58	BRS	1	"5500016".PN.	USPAT

	Type	Hits	Search Text	DBs
59	BRS	51	(623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and flex	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
60	BRS	69	(623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and bend	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
61	BRS	8	(623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and polyetheretherketone	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
62	BRS	8	(623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and peek	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
63	BRS	8	(623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and polyacetal	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
64	BRS	25	(623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and polyamide	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
65	BRS	55	(623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and polypropylene	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
66	BRS	112	(623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and polyurethane	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
67	BRS	75	metal and ((623/2.12 or 623/1.26 or 623/1.27 or 623/2.1) and polyurethane)	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR

	Type	Hits	Search Text	DBs
68	BRS	44	(diamond near carbon) and heart	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
69	BRS	16	ceramic and ((diamond near carbon) and heart)	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
70	BRS	91	623/2.42	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
71	BRS	13	623/2.42 and fatigue	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
72	BRS	11	623/2.42 and elasticity	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
73	BRS	77	(623/2.12 or 623/2.13 or 623/2.14 or 623/2.15 or 623/2.16 or 623/2.17 or 623/2.18 or 623/2.19) and fatigue	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
74	BRS	37	((623/2.12 or 623/2.13 or 623/2.14 or 623/2.15 or 623/2.16 or 623/2.17 or 623/2.18 or 623/2.19) and fatigue) and cycle	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
75	BRS	19	(bend near angle) and (heart near valve)	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR
76	BRS	9	"1540818"	USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR